



Report Number: 21-011040/D001.R000

Report Date: 09/27/2021 **ORELAP#:** OR100028

Purchase Order:


Received: 09/20/21 14:26

Customer: Natures Catalyst Product identity: D0-Cart-091721

Client/Metrc ID:

Laboratory ID: 21-011040-0003

Summary







Report Number: 21-011040/D001.R000

Report Date: 09/27/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 09/20/21 14:26

Customer: Natures Catalyst

Product identity: D0-Cart-091721

Client/Metrc ID:

Sample Date:

Laboratory ID: 21-011040-0003

Evidence of Cooling: No
Temp: 25.9 °C
Relinquished by: Client

Sample Results

Potency	Method J A	OAC 2015 V98	-6 (mod)	Units %	Batch: 2108533	Analyze: 9/23/21	1:54:00 PM
Analyte		ry LOQ	Notes				
		eight					
CBC	< LOQ	0.0962					
CBC-A [†]	< LOQ	0.0962					
CBC-Total [†]	< LOQ	0.181					
CBD	< LOQ	0.0962			'		8-THC
CBD-A	< LOQ	0.0962					
CBD-Total	< LOQ	0.181					
CBDV [†]	< LOQ	0.0962					
CBDV-A [†]	< LOQ	0.0962					
CBDV-Total [†]	< LOQ	0.180					
CBE [†]	< LOQ	0.0962					
CBG [†]	< LOQ	0.0962					
CBG-A [†]	< LOQ	0.0962					
CBG-Total	< LOQ	0.180					
CBL [†]	< LOQ	0.0962					
CBL-A [†]	< LOQ	0.0962					
CBL-Total [†]	< LOQ	0.181					
CBN	< LOQ	0.0962					
CBT [†]	< LOQ	0.0962					
$\Delta 8\text{-THC}^{\dagger}$	5.33	0.0962					
$\Delta 8$ -THCV	< LOQ	0.0962					
Δ9-THC	< LOQ	0.0962					
THC-A	< LOQ	0.0962					
THC-Total	< LOQ	0.181					
THCV [†]	< LOQ	0.0962					
THCV-A [†]	< LOQ	0.0962					
THCV-Total [†]	< LOQ	0.180					
Total Cannabinoids†	5.33						





Report Number: 21-011040/D001.R000

Report Date: 09/27/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 09/20/21 14:26

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.


Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-011040/D001.R000

Report Date: 09/27/2021 ORELAP#: OR100028

Purchase Order:

Received: 09/20/21 14:26

Revision: Document ID: Legacy ID: Effective:

		Labor	atory (Quality Ω	ontrol Resu	ılts		•
JAOAC2015 V98-6		20001	a. 51 y (ch ID: 210			
Laboratory Control	Sample							
Analyte	Result	Spike	Units	% Rec	Limit	ts	Evaluation	Notes
CBDVA	0.187	0.2	%	93.3	85.0 -	115	Acceptable	
CBDV	0.219	0.2	%	109	85.0 -	115	Acceptable	
CBE	0.210	0.2	%	105	85.0 -	115	Acceptable	
CBDA	0.202	0.2	%	101	85.0 -	115	Acceptable	
CBGA	0.190	0.2	%	94.8	85.0 -	115	Acceptable	
CBG	0.200	0.2	%	100	85.0 -	115	Acceptable	
CBD	0.200	0.2	%	100	85.0 -	115	Acceptable	
THCV	0.195	0.2	%	97.7	85.0 -	115	Acceptable	
d8THCV	0.199	0.2	%	99.5	85.0 -	115	Acceptable	
THCVA	0.181	0.2	%	90.4	85.0 -	115	Acceptable	
CBN	0.207	0.2	%	104	85.0 -	115	Acceptable	
exo-THC	0.189	0.2	%	94.7	85.0 -	115	Acceptable	
d9THC	0.204	0.2	%	102	85.0 -	115	Acceptable	
d8THC	0.209	0.2	%	104	85.0 -	115	Acceptable	
CBL	0.182	0.2	%	91.0	85.0 -	115	Acceptable	
CBC	0.201	0.2	%	101	85.0 -	115	Acceptable	
THCA	0.201	0.2	%	101	85.0 -	115	Acceptable	
CBCA	0.186	0.2	%	92.8	85.0 -	115	Acceptable	
CBLA	0.206	0.2	%	103	85.0 -	115	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBE	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBGA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBG	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBD	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBN	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
exo-THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d9THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBL	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBLA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBT	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	

108 85.0

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

0.216

Units of Measure:

% - Percent





Report Number: 21-011040/D001.R000

09/27/2021 **Report Date:** ORELAP#: OR100028

Purchase Order:

09/20/21 14:26 Received:

Revision: Document ID: Legacy ID: Effective:

Sample ID: 21-011015-0001								
esult	LOQ	Units	RPD	Limits	Evaluation	Notes		
Q	0.1	%	NA	< 20	Acceptable			
Q	0.1	%	NA	< 20	Acceptable			
Q	0.1	%	NA	< 20	Acceptable			
Q	0.1	%	NA	< 20	Acceptable			
Q	0.1	%	NA	< 20	Acceptable			
Q	0.1	%	NA	< 20	Acceptable			
Q	0.1	%	NA	< 20	Acceptable			
0	0.1	0/	NΛ	z 20	Accentable			

			Labo	ratory		ntrol Results		
JAOAC2015						ch ID: 2108533		
Sample Dupl	icate		Sample ID: 21-011015-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d8THCV	0.450	0.441	0.1	%	1.96	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d8THC	81.1	82.7	0.1	%	1.94	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBT	0.196	0.213	0.1	%	8.58	< 20	Acceptable	

Laboratory Quality Control Results

Batch ID: 2108533

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent





Report Number: 21-011040/D001.R000

Report Date: 09/27/2021 ORELAP#: OR100028

Purchase Order:

Received: 09/20/21 14:26

Explanation of QC Flag Comments:

Code	Explanation						
Q	Matrix interferences affecting spike or surrogate recoveries.						
Q1	Quality control result biased high. Only non-detect samples reported.						
Q2	Quality control outside QC limits. Data considered estimate.						
Q3	Sample concentration greater than four times the amount spiked.						
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.						
Q5	Spike results above calibration curve.						
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.						
R	Relative percent difference (RPD) outside control limit.						
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.						
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.						
LOQ1	Quantitation level raised due to low sample volume and/or dilution.						
LOQ2	Quantitaion level raised due to matrix interference.						
В	Analyte detected in method blank, but not in associated samples.						
B1	The sample concentration is greater than 5 times the blank concentration.						
B2	The sample concentration is less than 5 times the blank concentration.						